

विनयलता एस. VINAYALATHA S. . कुलसचिव REGISTRAR



THE INSTITUTE OF MATHEMATICAL SCIENCES

(परमाणु ऊर्जा विभाग, भारत सरकार का एक स्वायत्त संस्थान)





CIT CAMPUS, TARAMANI, CHENNAI - 600113

फोन/Phone: 044-22543150 & 044-22541416 (Direct), 044-22543100/166(Board)

फ़ैक्स/Fax : 044-22541586 (general)

वेबसाइट/Website : www.imsc.res.in

ईमेल/Email: registrar@imsc.res.in

Ref: IMSc / Civil / QUT /05-2024-25

09.05.2024

To

Sub: Development of lawn on the adjacent side of the Guest house Building in the Guest house campus at IMSc, Taramani. – Inviting sealed quotation – Reg.

Sir/Madam,

Sealed Quotations are invited by the Registrar, IMSc, Taramani on behalf of the Director, IMSc for "Development of lawn on the adjacent side of the Guest house Building in the Guest house campus at IMSc, Taramani.." You are requested to fill up the same and sent to us so as to reach on or before 17.05.2024 at 1500 hrs at the Main building, IMSc, in a sealed cover superscribing the quotation no. The Institute reserves the right to reject any or all the quotations or to allot parts of the work to different agencies without assigning any reason.

Vinayalatha 9.5-2024 Registrar,

For and on behalf of the Director, IMSc

Tenderers are advised to take note of the following points into consideration while quoting

- 1. E mail/ fax quotations will not be accepted.
- 2. The rates are inclusive of all taxes, labour charges and materials etc. nothing will be paid extra.
- 3. The period is to be **15 days**.
- 4. The payment shall be made after completion of the work and as per the actual measurement at site .
- 5. Late quotations will not be considered.

Enclosed: Blank Schedule.

THE INSTITUTE OF MATHEMATICAL SCIENCES

C.I.T CAMPUS, TARAMANI

Name of Work: Development of lawn on the adjacent side of the Guest house Building in the Guest house campus at IMSc, Taramani.

Note: The rates quoted by the tenderer in the schedule shall be inclusive of Goods and Service Tax (GST) of 18% or any other Tax applicable. GST or any other tax applicable in respect of this contract shall be payable by the Contractor and Government will not entertain any claim whatsoever in respect of the same.

	Schedule of Quar	ntities			
S. No	Description of Item	Qty	Unit	Rate in Rs.	Amount in Rs. P
1	Earth work in excavation by mechanical means (Hydraulic excavator) /manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including , dewatering, dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m and refilling of the sides of foundation all complete as per specification and as directed by the Engineer in charge. [a] All kinds of soil.	11.00	Cum		-
2	Providing and constructing brick work with clay flyash F.P.S. (non modular) brick of class designation 7.5 in superstructure up to floor five level in :Cement mortar 1:6 (1 cement : 6 coarse sand) including suitable scoffolding and racking out joints etc, and all complete as per specification and as directed by the Engineer in charge.	0.45	Cu.m.		
3	Providing and constructing half brick masonry with non modular fly ash bricks of class designation 10, conformingio IS:12894, in super structure above plinth and upto floor V level. Cement mortar 1:4 (1 cement:4 coarse sand) including suitable scaffolding and racking out joints and providing and placing in position 2 Nos 8mm dia. M.S. bars at every third course of half brick masonry all complete as per specification and as directed by the Engineer in charge.	3.00	Sqm	7	
4	Providing plastering to the internal / External surfaces of brickwork/concrete at all elevations in cement mortar 1:4, 12mm thick including hacking of concrete surfaces with pointed tool, scaffolding, finishing, curing, forming grooves wherever necessary, all as per specifications and as directed by the Engineer in charge	7.00	Sqm		
5	Providing and laying the following sizes PVC water supply line with 'Finolex / Varun / Truebore' or approved equivalent make PVC pipes suitable for 6 kg/sq.cm pressure and specials confirming & marked to to IS:4985 including jointing with PVC jointing compound, laying and fixing the pipes in the excavated trenches, cutting chases and making good the walls etc for concealed works, cost of all types of specials such as tees, reduces, coupler, reducing bushes, threaded adaptor, elbow, tail pieces, caps etc., and testing the line as directed by the Engineer-in- Charge. (a) 110 mm outer dia PVC pipe	12.00	Rm.		
6	Providing and laying plain cement concrete 1:4:8 using 20mm maximum size graded aggregates including mechanical mixing, transporting and placing in required position, ramming, compaction, levelling, curing, shuttering, dewatering if any, complete all as per specification for levelling courses in foundation for walls, footings, floor drains etc., encasing pipes and other required works directed by Engineer-in-Charge complete all as per specifications.	1.00	Cu.m		
7	Providing Circular types ceramic pots of size in 380mm dia in top and bottom dia 300mm and hight of pots 380mm stacking in required rows & height, all complete as per direction of Officer-incharge.	18.00	Each		

plants of spreading and transpecifica charge. a a) Plume b) Aglaon c c) Arauca d) Areca Providing required curvilines as per thick stocomplete Engineer Supplying without measure including specifica charge. Collection Decomposition of the complete of the complete Engineer of the complete Engin	g and laying dry stone pitching in design and patterns, in linear as well as ar portions of the building all complete the architectural drawings with 75mm as specified and asdirected by the incharge. In a specified and asdirected by the incharge and stacking good quality red earth stones, gravel etc., and stacking for present at places as shown by Engineer filling in pits etc., complete all as per company and as directed by Engineer-in-	3.00 5.00 5.00 10.00 7.00	Each Each Each Sq.m. Cu.m	Rate in Rs. P	Amount in Rs. F
plants of spreading and transpecifica charge. a a) Plume b) Aglaon c c) Arauca did Areca Providing required curvilines as per thick stocomplete Engineer Supplying without measure including specifica charge. Collection Decomposition of the complete specifical charge. Collection Decomposition of the complete specifical charge. Collection Decomposition of the complete specifical charge. It measure places a measure places spilling in and as did	good quality etc including making pits, g & filling of red earth, farmyard manure as porting the plants to site, initial weeding etc complete all as persion and as directed by Engineer-initia 7' height 18x18x Alpha. The properties are provided by Engineer-initia 7' height 18x18x Alpha. The provided by Engineer-initia 7' height 18x18x Alpha. The provided by Engineer-initia columnaris The part of the provided by Engineer as well as a portions of the building all complete the architectural drawings with 75mm as specified and asdirected by the engineer as specified and asdirected by the engineer at places as shown by Engineer filling in pits etc., complete all as persion and as directed by Engineer-initian and as directed by Engineer-initia	3.00 5.00 5.00 10.00 7.00	Each Each Sq.m.		
a a) Plume b b) Aglaor c c) Arauca d d) Areca Providing required curviline as per thick sto complete Engineer Supplyin without measure including specificate charge. Collectio Decompor undesirate places a filling in and as de	tema Dove variety tria columnaris Palm and laying dry stone pitching in design and patterns, in linear as well as ar portions of the building all complete the architectural drawings with 75mm and slab and polishing the edges etc. all as specified and asdirected by the in-charge. In and stacking good quality red earth stones, gravel etc., and stacking for prement at places as shown by Engineer filling in pits etc., complete all as per ion and as directed by Engineer-in- and, supplying and stacking of sed dry farmyard manure without the materials, stacking the same to at a shown by Engineer for taking prements including spreading the same and nown with a lead upto 100metres and pits etc., complete all as per specification	5.00 5.00 10.00 7.00	Each Each Sq.m.		
c c) Arauca d d) Areca Providing required curviline 9 as per thick six complete Engineer Supplying without measure including specifical charge. Collection Decompoundesiral places a measure places a filling in and as definition.	Palm g and laying dry stone pitching in design and patterns, in linear as well as ar portions of the building all complete the architectural drawings with 75mm ne slab and polishing the edges etc. all as specified and asdirected by the in-charge. In and stacking good quality red earth stones, gravel etc., and stacking for prement at places as shown by Engineer filling in pits etc., complete all as per ion and as directed by Engineer-inseed dry farmyard manure without be materials, stacking the same to at a shown by Engineer for taking prements including spreading the same at nown with a lead upto 100metres and pits etc., complete all as per specification	5.00 10.00 7.00	Each Each Sq.m.		
d d) Areca Providing required curviline as per thick sto complete Engineer Supplyin without measure including specifica charge. Collection Decompoundesira places a measure places silling in and as desired.	Palm g and laying dry stone pitching in design and patterns, in linear as well as ar portions of the building all complete the architectural drawings with 75mm ne slab and polishing the edges etc. all as specified and asdirected by the in-charge. In and stacking good quality red earth stones, gravel etc., and stacking for prement at places as shown by Engineer filling in pits etc., complete all as per ion and as directed by Engineer-insed dry farmyard manure without be materials, stacking the same to at a shown by Engineer for taking prements including spreading the same at nown with a lead upto 100metres and pits etc., complete all as per specification	10.00	Each Sq.m.		
Providing required curviline as per thick sto complete Engineer Supplying without measure including specifica charge. Collection Decomposition desiral places a filling in and as desired control of the control of th	g and laying dry stone pitching in design and patterns, in linear as well as ar portions of the building all complete the architectural drawings with 75mm ne slab and polishing the edges etc. all as specified and asdirected by the in-charge. Ig and stacking good quality red earth stones, gravel etc., and stacking for prement at places as shown by Engineer filling in pits etc., complete all as per tion and as directed by Engineer-in- n, supplying and stacking of sed dry farmyard manure without the materials, stacking the same to at a shown by Engineer for taking prements including spreading the same and pits etc., complete all as per specification pits etc., complete all as per specification	10.00	Sq.m.		
required curviline as per thick stocomplete Engineer Supplyin without measure including specifical charge. Collection Decompoundesiral places a filling in and as defined the curviling in and as desired the curviling in the cu	design and patterns, in linear as well as ar portions of the building all complete the architectural drawings with 75mm ne slab and polishing the edges etc. all as specified and asdirected by the in-charge. If and stacking good quality red earth stones, gravel etc., and stacking for prement at places as shown by Engineer filling in pits etc., complete all as persion and as directed by Engineer-in- The supplying and stacking of seed dry farmyard manure without the materials, stacking the same to at a shown by Engineer for taking prements including spreading the same and pits etc., complete all as per specification presents etc., complete all as per specification.	10.00	Cu.m		
without measure including specifica charge. Collection Decomposition undesiral places a measure places silling in and as definitional control of the contro	stones, gravel etc., and stacking for prement at places as shown by Engineer grilling in pits etc., complete all as pertion and as directed by Engineer-in- n, supplying and stacking of sed dry farmyard manure without ble materials, stacking the same to at a shown by Engineer for taking prements including spreading the same at nown with a lead upto 100 metres and pits etc., complete all as per specification	10.00			
Collectio Decompo undesira places a measure places s filling in and as d	sed dry farmyard manure without ble materials, stacking the same to at s shown by Engineer for taking pre- ments including spreading the same at nown with a lead upto 100metres and pits etc., complete all as per specification		Cum		
Providing					
with ear ground p with req rolling t 12 surface sprinkles till the ge	and fixing Neelgiri/Mexican grass turily 50mm to 60mm thickness of existing prepared with proper level and ramming aired tools wooden (Dhurmos) and than the surface with light, watering with and maintenance for 30 days or more assestablish properly as per direction of charge. The quated rate is inclusive of sinitial maintenance period.		Sq.m.		
· .			Total A	mount in Rs.	
pees in words:					
gnature of the T	enderer :	*****			